



13 SEER ROOFTOP  
Cooling Only



# The Perfect Choice for Affordable and Efficient Comfort

Ideal comfort and reliable performance, Lennox is introducing the new 13 SEER Rooftop units, ideal for residences and light commercial application, Other applications are including schools, large halls, warehouses, any outdoor installations, either on ground or roof level, or wherever the requirement is for a heavy duty unit. The Lennox 13 SEER Rooftop units have been design so that installation and service time are reduced.

## Enhancing Features



### High Reliability

Protection and durability is built in. The Lennox 13 SEER rooftop unit cabinets are Pre-painted and tested to resist the toughest conditions. Our galvanized heavy gauge plate conforms to ASTM-A-653 with a plated galvanized Zinc content of 275g/m<sup>2</sup>. This protection will ensure a rust free unit for years to come. Safety features are included.



### Efficient Economical Cooling

There are different components to our Rooftop unit models that make it very efficient and quiet.

Dependable Scroll Compressor: Provides reliable and efficient operation to reduce your electric bills.

Maximum quietness is also an integral key characteristic of this compressor.

High Efficiency Coil Design: Provides exceptional heat transfer and low air resistance for high efficiency operation.



### Easy Maintenance

Easy Clean filter: The washable filter can be easily removed, cleaned and installed to save on replacement parts cost.

Easy Access: The access doors on the filter, fan motor, and control box sections can be easily removed, this feature is especially important for technicians and maintenance.

# Model Specifications and Performance

## 13 SEER Rooftop Package (on/off) Cooling Only

Model	Voltage	Nominal Cooling	Nominal Heating	SEER	Unit Dimmension (W X D X H)	Cond./Evap.	Unit Weight	Refrigerant Charge	Air Flow (H/M/L)	Noise Rating (H)
		Btu/H	Btu/H	Btuh/H*W	mm	Copper/Aluminum Coil	Kg	oz/g	m3/H	dB
LEE036-130P431	220/1/60	36000	--	13	1307x 958 x630	Hydrophilic Coated Aluminum Fin	155	70.55 / 2000	2609/2322/2097	60
LEE048-130P431		48000	--	13	1472 x 1068 x 840		198	130.51 / 3700	3175/2888/2591	63.4
LEE060-130P431		60000	--	13	1472 x 1068 x 840		198	141.10 / 4000	3508/3364/3205	64.7

- Heavy gauge to ASTM-A-653
- 13 seer AHRI certified
- Dependable Scroll Compressor
- High Efficiency Coil Design
- Easy Access to Filter, Motors and Controls
- Easy Maintenance



# Solutions for Customized Comfort

Don't just choose a Lennox® product—choose a Lennox Commercial Comfort System. These complete packages of HVAC solutions provide tools to create a healthy and comfortable environment.



## Packaged Units

- Energence® Rooftop Units
- Strategos® Rooftop Units
- Landmark® Rooftop Units
- Raider® Rooftop Units



## Commercial Controls

- Systems Integration Solutions
- Commercial Thermostats
- L Connection® Network



## VRF

- Outdoor Units
- Indoor Units
- Controls



## Mini-Split Systems

- Wall-Mounted Non-Ducted
- Ceiling Cassette Non-Ducted
- Medium-Static Ducted
- Ceiling/Floor Non-Ducted



## Solar Ready

- SunSource® Commercial Energy System



## Heating

- Unit Heaters
- Duct Furnaces
- Furnaces



## Split Systems

- S-Class® Air Conditioners/Heat Pumps
- T-Class™ Air Conditioners/Heat Pumps
- Air Handlers
- Indoor Coils



## Indoor Air Quality

- Humiditrol® Dehumidification System
- Demand Control Ventilation
- Air Filters
- UVC Lamps



Visit us at [www.lennoxglobal.com](http://www.lennoxglobal.com) or contact us at 305-718-2901  
© 2015 Lennox Industries Inc.  
For a complete list of the registered and common law trademarks owned by Lennox Industries Inc., please visit [www.lennox.com](http://www.lennox.com)  
NMG13SEERRTUE01D-032017

DISTRIBUTED BY: